UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/825,205	04/16/2004	Sung-Su Jung	8734.294.00 US	7679
MCKENNA LONG & ALDRIDGE LLP 1900 K STREET, NW WASHINGTON, DC 20006			EXAMINER	
			FISCHER, JUSTIN R	
			ART UNIT	PAPER NUMBER
			1791	
			MAIL DATE	DELIVERY MODE
			11/06/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application/Control Number: 10/825,205 Page 2

Art Unit: 1791

Continuation of 3: As amended the claims require (a) a quantitative relationship between the number of syringes and the number of nozzles and (b) a specific relationship between the nozzles of the syringe at the dispensing portion and the size of the liquid crystal display panel. These limitations were not present in the previously drafted claims as such, the amended claims would require further search and consideration.

Continuation of 11: Applicant's arguments are directed to the amended claim language and as such, are not commensurate in scope with the claim language of the pending claims.

/Justin R Fischer/

Primary Examiner, Art Unit 1791

November 4, 2008